



BDM
RURAL WATER SYSTEM

Quality On Tap!

April 2019 | Volume 14, Issue 4

**PROFILES IN
SOIL HEALTH**

**RURAL WATER
SYSTEM SPOTLIGHT**
CLAY RURAL WATER



**UNDERSTANDING YOUR
WATER QUALITY REPORT**

FROM THE MANAGER

Rodney Kappes
Manager, BDM Rural Water System, Inc.



GREETINGS FROM THE TEAM AT BDM:

The weather certainly has been a challenge for everybody this winter. The latest forecast I heard this morning indicated a warming trend by the middle of March, let's hope they're right. The weather has caused issues for your team at BDM also on several occasions with major system events. The first occurred on Sunday January 27th at about 5:30 PM. We had a 12-inch line break by our Hillhead Reservoir. The team mobilized and had the break identified by 9:00 PM. A blizzard warning was in effect and the contractor was not able to be on site until the next morning due to weather. The leak was fixed by 2:00 PM Monday with some customer impact.

The second major incident was at the Buffalo Lake Reservoir on the morning of February 7th. This also was the morning of a winter storm. The retaining clamps that hold the outgoing pipes together in the reservoir rusted through, allowing the pipes to come apart and shift in the reservoir. This required outside contractors to repair. This reservoir was brought back on line on February 22nd with limited customer impact.

In both cases I apologize to those of you who were impacted. The team tries very hard to minimize customer impact and uses all resources to get up and running as soon as possible. Thanks for your understanding during these unfortunate events.

The construction project to increase capacity to the south and southwest of Britton is moving forward. The installation of 26 miles of pipe was mostly completed last fall. The valves for the tie-ins still need to be buried, with a bore under highway 12 to complete also. The rest of this project has been installed. We just completed bidding the facilities piece of this project (upsized pumps/motors, additional 200,000 gallon reservoir for daily peak demands) which also came in under budget.

The total capacity improvement project is projected to cost approximately \$3.2 million. This compares to original estimates of \$3.6 million. Considering the \$3.2 million cost, \$1.0 to \$1.4 million will be cash financed with capital reserve dollars, which the board had set aside for this project. The remaining \$1.8 to \$2.2 million will be financed with a 10-year term CoBank loan. The debt service on this debt will equate to around 50 cents per one thousand gallons of water sold.

Our preliminary audit is completed and will be shared with the membership during the annual meeting. I would ask each of you to attend, as we will discuss in more detail the positive financial direction your water system is continuing to pursue. For 2018, your system reinvested \$1,504,235.14 in new pipeline, larger pumps/motors to increase capacity, rehabbing of wells, replaced more cellular read meters and added 24 new hookups. This replacement/addition of new assets in the system is compared to our annual depreciation for 2018 of \$1,262,130.52. For us to maintain the viability of the system, it will continue to require significant reinvestment and long-term asset replacement contingencies.

Your board, management, and engineering team at AE2S have been and will continue to plan to identify those assets that have higher probabilities of failure and developing plans for replacement. One project that I have discussed in the past is our control system which is basically obsolete, however still functioning ok. This system is planned to be replaced late 2019 early 2020 for an estimated cost of \$625,000. The board has these funds in a capital reserve account today, so with no significant upside surprises, no money will need to be borrowed.

...continued on page 13



BOARD OF DIRECTORS

President

Torre Raap – Andover, SD

Vice President

Hal Treeby – Hecla, SD

Secretary-Treasurer

Robert Watkins – Britton, SD

Directors

Kevin Deutsch – Sisseton, SD

Don Ogren, Langford, SD

Ken Spence – Eden, SD

Terry Leonhardt – Groton, SD

Advisory Director

John Cloud – Sisseton, SD

STAFF

General Manager

Rodney Kappes

Operations Manager

Mark Hagen

System Operations Specialists

Darin Roehr

Jim Hagen

Ryan Vrchota

Jared Marzolf

Administrative Assistant

Office/Billing

Shannon Wegleitner

Attorney

Danny R. Smeins


CONTACT INFORMATION

PO Box 49 | Britton, SD 57430

Phone: (605) 448-5417

Fax: (605) 448-2124

www.bdmruralwater.com

 **STATEMENT OF NON-DISCRIMINATION:** In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at http://www.ascr.usda.gov/complaint_filing_cust.html and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by:

(1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program.intake@usda.gov. This institution is an equal opportunity provider.

BDM MEMBERSHIP CORNER

ATTENTION DEBIT CARD USERS!

To curb payment card fraud, BDM's debit/credit card vendor is making changes to our payment platform that will require the use of a Personal Identification Number (PIN) when paying by debit card beginning in March. As such, BDM will no longer accept debit card payments for payment of your water bills, unless you appear in person at the office and can enter your PIN.

If you are currently signed up for your bill to be automatically paid using your debit card, you will need to call the office to switch to a credit card, or you may wish to sign up for our ACH option, which will allow us to debit your checking or savings account directly. Please call Shannon at 605-448-5417 to learn about the different options available.

The BDM Rural Water System offices will be closed:

MONDAY, MAY 27TH – MEMORIAL DAY

As always, if you have an emergency, please call the office at 605-448-5417 or toll free at 1-800-448-9236. You will then receive a message with the telephone number of the employee on call. Please call that person for assistance in an emergency only.

NEW EMAIL ADDRESSES

*We have changed over to a new email system.
Please note our new email addresses:*

Rodney Kappes, General Manager:
rodneyk@bdmruralwater.com

Mark Hagen, Operations Manager:
markh@bdmruralwater.com

Darin Roehr, Sr. Systems Operations Specialist:
darinr@bdmruralwater.com

Shannon Wegleitner, Office Manager:
shannonw@bdmruralwater.com

MARK YOUR CALENDAR



39th ANNUAL MEETING

MONDAY

March 25th, 2019 @ 6:00PM

BDM BUILDING

705 7th Street • Britton, SD

**Director elections for Districts
Three, Four, and Six will be held.
Drawings for door prizes and a
light supper will follow.**

Manager: continued from page 2

The board, management team, and our engineers at AE2S continue to engage in conversations, analysis, and probability assessments about what improvements/replacements are necessary to continue and enhance the viability of your water utility for many years to come. Part of this process entails the costs and how do these activities get paid/financed, while keeping rates affordable. Our last rate increase was in mid to late 2016. With the reinvestments that have been made to the system since then, and with the future asset replacements that will be required, the board and management decided to raise all rate tiers by 20 cents for every 1,000 gallons of water. For households using 4,000 gallons per month, this will be an increase of 80 cents per month or an increase of approximately 1.8%. For those using 5,000 gallons per month, the increase will be \$1.00 per month. For those ag customers who use 100,000 gallons, the increase will be \$20.00 per month or \$40.00 per month on 200,000 gallons. The residential and bulk rate increase will be affective on your July 2019 billing, with the municipality rates increase affective on your January of 2020 billing.

Please plan to attend your annual meeting on March 25th, at the BDM office in Britton South Dakota at 6:00 PM.

Your team at BDM and the board of directors thank you for your patronage. Let's hope the weather will improve and a wonderful spring is coming soon. We hope to see you at the annual meeting and God Bless.


QOT Waterwise Kids

TURN OFF THE TAP!

Just by turning off the tap while you brush your teeth in the morning and before bedtime, you can save up to 8 gallons of water! That adds up to more than 200 gallons a month, enough to fill a huge fish tank that holds 6 small sharks!



Underground pipes carry water all throughout your community. Can you find the way water flows from the water tower to the water fountain?



BEAT THE HEAT!

Watering your yard first thing in the morning is a great first step to water-efficient landscaping. Avoid watering your yard in the middle of the day. Watering when it's hot and sunny is wasteful because most of the water evaporates before the plants have time to drink it. Also, when you're helping your parents water the yard, make sure not to water the plants too much – remember that a little sprinkle goes a long way!



SHOWER POWER!

Taking a shower uses much less water than filling up a bathtub. A shower only uses 10 to 25 gallons, while a bath takes up to 70 gallons! If you do take a bath, be sure to plug the drain right away and adjust the temperature as you fill the tub. To save even more water, keep your shower under five minutes long – try timing yourself with a clock next time you hop in!



WATER WORD SEARCH

M	I	W	S	P	P	F	P	L	E
P	I	P	E	S	I	B	H	K	J
W	E	T	O	S	R	N	B	N	S
S	S	W	H	R	D	M	E	I	F
R	D	E	E	A	O	C	O	R	V
N	A	T	R	H	I	N	F	D	W
O	A	I	J	B	S	J	N	G	H
W	U	Z	N	A	B	A	T	C	B
X	E	G	V	T	F	R	W	T	P
R	L	G	B	H	P	W	L	A	H

BATH
DRINK
DRIP
FISH
ICE
PIPES
RAIN
SWIM
WASH
WATER
WET

Hey,
That's Funny!



Why couldn't the fish watch YouTube?
He couldn't stream the video.

What did one ocean say to another?
Nothing, it just waved.

What happens before it starts raining candy? It sprinkles!



How did the raindrop ask another raindrop on a date?
He asked her "Water you doing tonight?"



PROFILES IN SOIL HEALTH: A SYSTEMS APPROACH



Chad Schooley keeps an eye on the past. His rough farmer's hands work in the present. His boots tread ground plowed by his father, grandfather, and great grandfather. With a mind on the future, he walks the acres of his Cabin Still Cattle Company – the rolling hills of Hamlin County, South Dakota, and looks for balance.

Sitting on the end-gate of his pickup truck, young son Beau beside him, Schooley says, "I'm not a firm believer that we need to turn everything back into pasture, but we need an equal balance. If our farming practices continued like they were when our great grandfathers were farming; where we plowed all the land every year, where we were losing topsoil and we had no trees - if we had kept farming like that, I think we'd be in a worse situation. We have turned the corner. We're building the soil back up, and we've got our soil headed back to where it once was."

"On our farm we produce grass for cattle, corn and beans, wheat and oats for feed," he explained. "We raise cover crops after small grains are harvested for winter grazing for cattle, so we're a pretty diverse operation." Chad started converting some tillable ground to warm season grasses over 15 years ago. Two years ago, he converted more tillable acres to warm and cool season perennial grasses. This added pastures for spring calving.

There was a learning curve in developing the grazing strategies. "Once we started rotating cattle through the different paddocks we could really tell that we were stretching the capacity of the grass," he said. "We extended our stocking rates by doing rotational grazing, and now we have three rotational grazing systems with up to 8 paddocks in each one." He went on to explain that the native grasses he established showed more promise than other varieties, with a better rate of gain for the cattle and a better fit for maintaining and improving soil health.

"Practices we are using are becoming widespread across the country as more people are finding the benefits," he said.

Schooley's plant community was previously diverse but non-native. He's recently reintroduced up to five species of native grasses on what was tillable ground. Even when compared to very diverse native rangelands in western South Dakota where over 200 species may thrive, he's noticed more nesting habitat for waterfowl and pheasants.

Leaning on a corral gate, he added, "One of my landlords has let me convert his tillable ground to grassland, and he appreciates the fact that we're taking care of the land and making it better. So, for him, it's not all about the economics. His land is marginal land, and now it's doing a better job in grass than it was in tillable. We are getting close to the same monetary results as we were doing by tilling it."

He says that when converting tillable land into grass, there can be lost

revenue at first, but up-front costs are not as intense. Once grass is planted and established, costs go way down.

Water quality is another important subject. It's tied to a healthy population of wildlife of all kinds. "On our grazing system one of the paddocks won't get grazed late season and will have more cover going into the winter," Schooley says. The leftover tall grass provides shelter and feed for wild birds. "The riparian buffers are areas we no longer farm, so there are cattails coming into the creeks. Deer and pheasants live there all winter," he says with a big smile.

"We're not watering cattle out of the sloughs any more, either. We're using a central watering system that keeps cattle out of the sloughs and out of the wild bird nesting areas, so undisturbed nests produce flocks of young birds," he noted.

A buffer runs adjacent to a waterway, and a minimum width is 35 feet, with a maximum width of 180 feet on each side to qualify as a riparian buffer zone.

Water from a recent rain poured through a wetland area, making the waving grasses dance beneath the waters' bubbling surface. The water ran clear as a new glass. Schooley scanned the marsh, and his planted trees and shrubs that lined the edges of the waterway and remarked, "a lot of our water runoff in our area goes into the Big Sioux River. That's the water source for Sioux Falls. There's a big push to keep water quality better for their metro area, it's their main drinking water source. I wish everyone understood how many things are involved in grasslands from wildlife to cattle, to bees, to water quality, songbirds, butterflies, insects and the whole ecosystem," he said.

"I'm on the Conservation District board for Hamlin County, and what that means to me is I get to try to help make this land better than when we received it, to help the next generation continue to be viable and keep farming this land," Schooley continued. "Ours is a fourth-generation farm, I have two sons very involved in the farm. My hope is that they can come on board and be a viable part of it."

"Our farm has been in the family long, long time," he said, looking over the herd of Black Angus cows and calves chewing on the wet and cold spring grass. "If my great grandfather was alive today, he'd not believe what we're doing. My mom's dad was already a conservationist. He planted trees on contours and tried to conserve the soil. My dad bought it from him, and now I'm buying it from my father, and buying my own land. We are using new practices that take us in the right direction for the next generation."

"It doesn't take long to plow up grass and plant corn," he stated. "What does take a long time is to reestablish grass and make good range land for cattle to thrive on."



ARE YOU GUILTY of Using the Toilet as a Trashcan?

By Nick Jackson, Circuit Rider for the South Dakota Association of Rural Water Systems

While traveling across the state making visits, I had stopped into several towns and facilities asking this same question:

What are the most troublesome issues you have experience within your wastewater collection or treatment system? Surprisingly the answer wasn't what I thought – you know, aging infrastructure or treatment facilities. No, it was what goes down the toilet and into the wastewater collection system.

Although the things that you may flush down the toilet may escape your home's plumbing, the sewage blockages that occur in the larger pipes affect many more people than just your family. If what you do flush down the toilet does not make it out of your home's plumbing, the damage it can cause can be costly.

Although the things that you may flush down the toilet may escape your home's plumbing, the sewage blockages that occur in the larger pipes affect many more people than just your family.

Backed-up drains and sewers often mean that the sanitary systems require rodding or jetting. What's usually the culprit? Everything that isn't supposed to go down the toilet! These backups can also affect other sanitary equipment such as lift stations, bar screens, grinders, pumps, etc. which can become worn out prematurely because of what goes down the toilet.

We know it is tempting to flush nearly anything down the toilet. It's like a black hole; just dump, flush, and it's gone – out of sight out of mind. To do this, however, is to risk damaging septic tanks, wastewater collection system, and wastewater treatment centers, as well as causing toxic environmental pollution and the embarrassment that comes if you are found to be the cause of the problem. People don't think about this until one day they have a huge clog or septic tank problem and must spend lots of money to fix it.

WHAT NOT TO FLUSH

To help you save embarrassment, thousands of dollars in repairs, and avoid polluting the environment, pay attention to this list of things that you must never, EVER, flush down the toilet:

"Flushable" Wipes • Baby Wipes • Cleaning Wipes • Paper Towels • Tissues

These so-called "flushable wipes" are becoming increasingly popular nowadays. They are also frequently causing clogs and backups in sewage collection pipes and wastewater treatment equipment. Although some of these brands might say they are flushable on the box, DO NOT FLUSH them down your toilet. If you use these products, dispose of them in a trash can.

The other paper products (paper towels and tissues) are designed to stay together when wet and absorb moisture and don't dissolve quickly in water.

Disposable Diapers • Feminine Hygiene Products

Just because there is human waste inside does not mean that they are ok to flush. Baby and adult diapers, as well as feminine hygiene products, are made to absorb and expand when they come in contact with liquids – not break apart in it. Dispose of all these items in the trash, not the toilet.

Fats • Oils • Cooking Grease

Grease should never be poured down any drain, period. It may look like a liquid that can easily be dumped down a drain, but when it cools, it will solidify and clog up your pipes and cause blockages within the collection system. Collect your grease in a container and throw it in the trash.

Hair • Dental Floss • Rubber Bands • String

Most of these items are not biodegradable and can cause severe clogs and environmental damage. Hair, for one, will never dissolve in water – it floats and easily gets caught on its way out into the collection system, snagging whatever comes its way.

Medications

Unused drugs, pills or pharmaceuticals, medical salves, and

ointments, should never be flushed! Although some believe this to be a safe way to dispose of these things, it is not. Toilet water cannot destroy the active ingredients in medicines. The wastewater treatment facilities are not designed to remove various chemicals found in drugs, and that means they are not removed and get pumped back into creeks, rivers or groundwater aquifers. These chemicals are dangerous to people, animals, aquatic life and the environment.

Food

When disposing of leftover food, never flush it down the toilet. Some may argue that food is biodegradable, and it is, but it can lodge in plumbing and create one powerful clog.

Cleansers • Stains • Solvents • Thinners • Pesticides • Fertilizers • Automotive Products

If it is not meant to clean the toilet, don't flush it down. Combinations of these can be acidic, caustic, poisonous fumes or even cause explosions.

Animal Excrement • Cat Litter

Some product say their cat litter is flushable, but with newer water saving toilets, there is just not enough water to keep the litter moving within the collection system which can cause blockage. Dried animal feces gets dehydrated and becomes hard as a rock and may not dissolve – which can get caught somewhere in the collection system.

The list can go on and on, and it's time to take responsibility for using toilets as they were originally intended. What does that leave? Not much! Human excrement and regular toilet paper are the only things you should flush down your toilet.

Even the very thick and plush toilet paper can sometimes be tough to break down. A courtesy flush is occasionally necessary to avoid clogging the drain. We love Charmin Ultra too, but be conservative with your toilet paper use.

Please think twice about flushing these everyday items down the toilet, not only will it save you from causing blockages, but will also keep your community's wastewater system in good working order.



"Flushable" wipes that were causing issues and were pulled from a wastewater collection system in South Dakota.



This sewer main was found to be completely clogged with grease in Madison, SD.

CLAY RURAL WATER SYSTEM

In January 1975, Clay County Extension Agent Bob Schurrer conducted a survey of every farm and landowner in the county requesting information on water quality and availability. They were also asked if they were interested in developing a rural water system. Over half of those surveyed indicated they were interested in such a system.

Wells in parts of the county were very high in minerals. At the time, many rural residents had their water hauled to cisterns on their farms and acreages.

In March of 1975, three informational meetings were held across the county to explain the idea of a rural water system. Convenience was one of the main themes touted at the meetings. Response at the informational meetings was favorable, and a steering committee was formed to further investigate the idea of a rural water system.

On April 29, 1975 the first organizational meeting was held at the 4-H Center in Vermillion. Approximately 60 rural residents were in attendance. With a favorable outlook, the steering committee was elected as a 12-member Board of Directors. Ken Mockler of Vermillion was elected Chairman. Jack DeVany, a rural resident and interested member, volunteered to guide the group as the water system attorney. Clay Rural Water System was officially incorporated on July 21, 1975.

The Board of Directors, along with Schurrer and DeVany, were about to undertake one of the greatest efforts since rural electrification some 40 years earlier. With little to guide them in the way of previous rural water system experience, the board and others set out to bring quality water to rural Clay County.

The main question the young Board had to answer, was “Why a rural water system?” Many rural residents hauled their water from some nearby community. A rural water system would bring water directly to their farm or residence. Improved quality would save on plumbing fixtures and pipes. Livestock would have a dependable supply of water during periods of drought. Pressure from the rural water system would be constant. But the demand was not limited to Clay County, so the scope expanded to include surrounding areas, including Union County.

The water system hired the engineering firm DeWild Grant Reckert and Associates (DGR) of Rock Rapids to ensure they had sound technical advice. A feasibility report was completed by DGR in January 1976. It stated the prospect of a system was

feasible and the decision was made to move forward. The study indicated there were 3,000 persons, 1,700 head of dairy cattle, 59,000 head of feeder and stock cows and 94,000 head of hogs and sheep in the project area.

The first annual meeting of the water system was also held in January of 1976. Ernest Schmidt of Vermillion was elected Chairman. The system wasted no time in signing up members. Meetings were held in Wakonda, Garryowen, the SE Research Farm and in Vermillion. In three days, 730 locations signed up. Later signups would bring the total to 980. Each individual was asked to pay a \$200 hookup fee.

The Board submitted a loan and grant application to the Farmers Home Administration in February 1976. Good news came in the fall of 1977 as funding was secured. A total of \$4.5 million dollars was received. The financing consisted of a \$3,350,000 loan and a \$660,000 grant. A \$300,000 grant from the state was later received. Hookup fees paid by new members covered the balance of the funding needs.

Construction began quickly and was evident all around Clay and Union Counties.

At the end of construction, Clay Rural Water was serving nearly 1,000 members. The total population supplied with quality rural water was approximately 3,500 people and thousands of head of livestock. From an idea to reality, the entire undertaking took just five years.

Since 1976, Clay Rural Water has more than doubled its membership and greatly increased capacity. Initial system treatment capacity was 1.2 million gallons per day (MGD), and current capacity is 1.5 MGD. Storage capacity has increased from 760,000 gallons to 1.21 million gallons. In 1996 the water plant was remodeled into a softening plant, greatly improving water quality.

The majority of the system is served by the Wakonda Water Treatment Plant. This 1.2 MGD plant utilizes lime softening and is supplied by two wells located in the Lower Vermillion-Upper Missouri Aquifer. Each well has a capacity of more than 1,000 gallons per minute (gpm). Users located in southern Union County are served by the Wynstone Water Treatment Plant. This plant utilizes reverse-osmosis treatment and is supplied by two wells located in the Missouri Elk Point Aquifer. Each well has a capacity of 350 gpm. Total membership is now 2,430.

CLAY RURAL WATER SYSTEM

DIRECTORS:

- Robert Wood – President
- Glen Gilbertson – Vice President/SA Director
- Randy Huot – Secretary/Treasurer
- Duane Holoch – Director
- David Reiff – Director
- Randy Ronning – Director
- Pat Manning – Director
- Russ Lilly – Director

STAFF:

- Greg Merrigan, Manager
- Donna Henriksen, Office Manager
- Leanne Brown, Accounting/Bookkeeper
- Tom Hollingsworth, Operations Supervisor
- Phil Iverson, Operations Specialist
- Rob Ganschow, Operations Specialist
- Andy Ganschow, Operations Specialist



The first Board of Directors 1975 - 1980



2018 Clay Board of Directors: Back L to R: Jim Schurdevin, Russ Lilly, Randy Ronning, Dave Reiff, Duane Holoch. Front Row L to R: Glen Gilbertson, Vice President; Robert Wood, President; Randy Huot, Sec.-Treas.; Pat Manning.

STATISTICS:

- Hookups: 2,430
- Miles of Pipeline: 1,350
- Water Source: Groundwater (Lower Vermillion-Upper Missouri), Missouri River @ Elk Point
- Counties Served: Clay, Union, parts of Lincoln, Turner, and Yankton
- Towns Served Individual: Burbank, Meckling, Deer Run
- Towns Served Bulk: Wakonda, Gayville

RURAL WATER CROSSWORD & WORD SCRAMBLE CONTEST

Water Quality Testing

Enter to
Win \$100

SCRAMBLE ANSWER



WORD BANK

- CONFIDENCE
- FLUORIDE
- LEAD
- COPPER
- CHROMIUM
- HALOACETIC ACIDS
- NITRATE
- TRIHALOMETHANES
- CONTAMINANT
- ARSENIC
- TREATMENT
- BYPRODUCT
- CHLORINATION

DOWN

1. An element that occurs naturally in rocks and soil and is used for a variety of purposes within industry and agriculture which can cause pollution in groundwater.
3. From a group of four chemicals—chloroform, bromodichloromethane, dibromochloromethane, and bromoform—formed, along with other disinfection by-products, when chlorine or other disinfectants used to control microbial contaminants in drinking water react with naturally occurring organic and inorganic matter in water.
4. The process of adding chlorine to drinking water to disinfect it and kill germs.
6. Consumer _____ Report - 1998 rules that requires community public water suppliers to provide customers with reports of drinking water quality.
7. A substance that makes something impure.
9. Rarely occurs naturally in water; it usually gets into the water from the delivery system. _____ pipes are the main contributor to high lead levels in tap water.

ACROSS

2. Is any process that improves the quality of water to make it more acceptable for a specific end-use.
5. A controlled addition to water to help reduce tooth decay.
8. Occurs naturally in water due to the erosion of _____ deposits found in rocks and soils.
10. A compound that is formed naturally when nitrogen combines with oxygen or ozone.
11. An incidental or secondary product made in the manufacture or synthesis of something else.
12. _____ are a type of chlorination disinfection byproduct that are formed when the chlorine used to disinfect drinking water reacts with naturally occurring organic matter in water.
13. A metal that naturally occurs in rock, soil, plants, animals and water. A trace amount of it is necessary for good health. The most common way it enters drinking water is through corrosion of _____ pipes due to acidic water.

RULES: Use the colored squares in the puzzle to solve the word scramble above. Call your Rural Water System (See page 2 for contact information) or enter online at www.sdarws.com/crossword.html with the correct phrase by April 8th, 2019 to be entered into the \$100 drawing.

Only one entry allowed per address/household. You must be a member of a participating rural water system to be eligible for the prize. Your information will only be used to notify the winner, and will not be shared or sold.

Congratulations to Clifford (Rick) Van Vleet who had the correct phrase of "walking in a winter wonderland" for January 2019.

Understanding Your WATER QUALITY REPORT

The Consumer Confidence Report (CCR) is an annual water quality report that a community water system is required by law to provide to its customers each year by July 1st. Your CCR can help you make informed choices about the water you drink.

Your CCR Provides Need-To-Know Information



Where your **water comes from**—such as an aquifer, lake, river, or other source.



A list of **regulated contaminants** that the CWS detected and the level.

SUCH AS:



Potential **health effects** from consuming contaminated water and additional safeguards against water-related illnesses.



Contaminant levels in your CCR compared to national standards and any violations of health-based standards.

Questions Or Concerns About Your CCR



CALL EPA'S SAFE WATER HOTLINE at 1-800-426-4791 if you would like to know more about your CCR, how to locate your local water company, or for more resources.



CONTACT YOUR HEALTHCARE PROVIDER if you are sensitive to contaminants or if you are at higher risk of infections.



CONTACT YOUR WATER COMPANY for information on how to remove chemicals and microbes from your water source.

For more information, visit: [epa.gov/ccr](https://www.epa.gov/ccr)

Sample Water Quality Data Table

Your CCR will also include a water quality data table that may look similar to this:

1

Maximum Contaminant Level Goal (MCLG):

If the value in the “Your Water” column is below this MCLG there is no known or expected risk to your health.

2

Maximum Residual Disinfection Level Goal (MRDLG):

If the value in the “Your Water” column is below the MRDLG there is no known or expected risk to your health.

3

Maximum Contaminant Level (MCL):

If the value in the “Your Water” column is above the MCL, the system is in violation of EPA’s regulations.

4

Treatment Technique (TT):

A required process intended to reduce the level of a contaminant in drinking water.

Contaminants	MCLG or MRDLG	MCL, TT, or MRDL	Your Water	Range		Sample Date	Violation	Typical Sources
				Low	High			
Disinfectant Residual								
Chloramine (as Cl ₂) (mg/L)	4	4	1	1	3	2008	No	Water additive to control microbes.
Inorganic Contaminants								
Antimony (ppb)	6	6	ND	N/A		2008	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Radioactive Contaminants								
Alpha emitters (pCi/L)	0	15	4*	1	4	2006	No	Erosion of natural deposits

5

Maximum Residual Disinfectant Level (MRDL):

The highest level of a disinfectant allowed in your drinking water. A certain amount of disinfectant has been shown to help control germs and microbes in the water.

6

Your Water: The highest level of that contaminant found in your water during sampling.

7

Range detected:

The “range” refers to the levels—high and low—at which contaminants were detected in your drinking water.

8

Violation:

Shows if a contaminant is present in your drinking water is above the level allowed by EPA.

Just how small is a part per million or part per billion?

In one Olympic-sized swimming pool (660,000 gallons)

1 Part Per Million (PPM) = 1 1/4 two-liter bottles

1 Part Per Billion (PPB) = 1/2 teaspoon



PO Box 49
705 7th Street
Britton, South Dakota 57430
www.bdmruralwater.com
605-448-5417

2019-2020 Scholarship Application

BDM Rural Water is sponsoring four \$500.00 scholarships to be presented for the 2018-2019 school year.
Two boys and two girls will each receive the \$500.00 award to be drawn at random.

APPLICANT INFORMATION:

Last Name _____ First Name _____
Mailing Address _____
City _____ State _____ Zip _____
Email Address _____
Telephone Number _____ Date of Birth _____

FAMILY INFORMATION:

Parents Names _____
BDM Rural Water System, Inc. Account Number _____

ACADEMIC INFORMATION:

Name of High School _____ Year Graduated _____
University/College/Technical Institute you are or you will be attending _____
At present I am or plan on majoring in _____

REQUIREMENTS:

- You must be a child of a member of BDM Rural Water System, Inc. with a billing account directly from BDM Rural Water.
- GPA must be a minimum of 2.0. A sealed official transcript must accompany this application.
- You must attend either a 2-year or a 4-year college or vocational institute.
- In order for this application to be considered, a photo to be used for publicity purposes must be submitted along with your application.

If you are selected as a recipient of this scholarship, may we send a news release to your hometown newspaper? Yes No

Name of Newspaper _____ Address _____
City _____ State _____ Zip _____
Signature _____ Date _____

All forms must be returned to the BDM Rural Water office by May 1, 2019.
BDM Rural Water System, Inc., PO Box 49, Britton, SD 57430

This institution is an equal opportunity provider. | Esta institucion es un proveedor de servicios con igualdad de oportunidades.



BDM Rural Water System

Annual Drinking Water Quality Report

January 1, 2018 – December 31, 2018

Water Quality

Last year, the Brown-Day-Marshall RWS monitored your drinking water for possible contaminants. These two pages are a snapshot of the quality of the water that we provided last year. Included are details about where your water comes from, what it contains, and how it compares to Environmental Protection Agency (EPA) and state standards. We are committed to providing you with information because informed customers are our best allies.

Water Source

We serve approximately 8,000 customers an average of 1,120,000 gallons of water per day. Our water is groundwater that we produce from local wells. The state has performed an assessment of our source water and they have determined that the relative susceptibility rating for the Brown-Day-Marshall RWS public water supply system is low.

For more information about your water and information on opportunities to participate in public meetings, call 605-448-5417 and ask for Rodney Kappes.

Additional Information

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- **Microbial contaminants**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

- **Inorganic contaminants**, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- **Pesticides and herbicides**, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- **Organic chemical contaminants**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- **Radioactive contaminants**, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer

undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791). If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Brown-Day-Marshall RWS public water supply system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing

your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

Detected Contaminants

The table below lists all the drinking water contaminants that we detected during the 2018 calendar year. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done January 1 – December 31, 2018. The state requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old.

2018 Table of Detected Contaminants for BDM RWS (EPA ID 0882)

Substance	90% Level	Test Sites > Action Level	Date Tested	Highest Level Allowed (AL)	Ideal Goal	Units	Major Source of Contaminant
Copper	0.7	0	08/29/16	AL=1.3	0	ppm	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.
Lead	3	1	08/30/16	AL=15	0	ppb	Corrosion of household plumbing systems; erosion of natural deposits.

Substance	Highest Level Detected	Range	Date Tested	Highest Level Allowed (MCL)	Ideal Goal (MCLG)	Units	Major Source of Contaminant
Barium	0.014		07/23/13	2	2	ppm	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.
Chromium	4.7		07/23/13	100	100	ppb	Discharge from steel and pulp mills; erosion of natural deposits.
Fluoride	0.52		11/07/17	4	4	ppm	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories.
Haloacetic Acids	6.40		08/02/17	60	0	ppb	By-product of drinking water chlorination. Results are reported as a running annual average of test results.
Selenium	0.7		07/23/13	50	50	ppb	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines.
Total trihalomethanes	2.88		08/02/17	80	0	ppb	By-product of drinking water chlorination. Results are reported as a running annual average of test results.

Please direct questions regarding this information to Mr Darin Roehr with the Brown-Day-Marshall RWS public water system at (605)448-5417.

Terms & Abbreviations Used in Tables

Action Level (AL) – the concentration of a contaminant which, when exceeded, triggers treatment or other requirements which a water system must follow. For Lead and Copper, 90% of the samples must be below the AL.

Maximum Contaminant Level (MCL) – The highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) – The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Treatment Technique (TT) – A required process intended to reduce the level of a contaminant in drinking water. For turbidity, 95% of samples must be less than 0.3 NTU.

Removal Ratio (RR) – The TOC removal ratio is the ratio between the actual TOC removal and the TOC removal requirements. The lowest running annual average of quarterly percentages is reported.

Units

ppb – parts per billion, or micrograms per liter (ug/l)

ppm – parts per million, or milligrams per liter (mg/l)

pCi/l – picocuries per liter (a measure of radioactivity)



RURAL WATER SYSTEM
 PO Box 49
 Britton, SD 57430
 www.bdmruralwater.com
 605-448-5417

PRESORTED
 STANDARD
 US POSTAGE
 PAID
 PERMIT #32
 MADISON, SD

WATER MATTERS

Water Quality Standards

Water bodies can be used for purposes such as recreation (e.g. swimming and boating), scenic enjoyment and fishing, and are the home to many aquatic organisms. To protect human health and aquatic life in these waters, water quality standards (WQS) are established. WQS are provisions of state, tribal or federal law that describe the desired condition of a water body and the means by which that condition will be protected or achieved. Further, WQS form a legal basis for controlling pollutants entering these waters.

Standards are typically defined in terms of an acceptable concentration or level of a particular chemical, physical or biologic parameter. For example, in South Dakota, for waters designated as drinking water supplies, the concentration of nitrate (NO₃⁻) cannot exceed 10 milligrams per liter (mg/L). Waters designated as cold-water fisheries (trout streams), water temperature cannot exceed 65°F. If swimming immersion recreation (in government speak) is the goal, levels of Escherichia coli (E. coli) bacteria in excess of 235 colonies per 100 milliliters of sample are considered problematic.


It is important to understand that while WQS have been established for most water bodies in the State, compliance with the WQS does not mean that the water is completely free of any possible contaminants. The established standards most often reflect the best scientific estimate of when the

potential risk to human health, etc., is no longer statistically acceptable. Although the water might be considered safe from a regulatory standpoint, contaminants may be, and most likely are, still present.

When presenting water quality information, the results of a particular water quality test are often expressed as either pass or fail. A nitrate reading of 9.0 mg/L would be considered 'acceptable,' as it is below the 10 mg/L WQS. However, background nitrate levels in South Dakota waters rarely exceed 1-2 mg/L, so the 9.0 reading is strongly suggestive of a problem that ought to be addressed, even if it technically meets the WQS.

There is nothing magic about WQS that would mean that compliance translates to zero risk. Similarly, violation of WQS does not mean that interaction will result in certain harm. It is important to know not only what is in your water, but also what this really means.

What are South Dakota's water quality standards? They can be found in Chapter 74:51:01 of the Administrative Rules of South Dakota. <https://sdlegislature.gov/Rules/DisplayRule.aspx?Rule=74:51:01>



Back page content provided by:
 East Dakota Water Development District
 132B Airport Drive • Brookings, SD, 57006
 (605) 688-6741 • <http://eastdakota.org>